NEOPAINT NPT16 - BULK

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	NEOPAINT NPT16 - BULK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	White Background Paint for use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002).
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Company Identification	Johnson and Allen Ltd
Address of Supplier	Neocol Works Smithfield Sheffield
Postal code	S3 7AR
Telephone	0114 2738066
Fax	0114 2729842
E-mail	info@johnsonandallen.co.uk
Office hours	08:30 - 17:00

1.4 Emergency telephone number

Company	0114 2738066 (UK office hours 08.30-17.00)
NHS Direct	+44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567	Skin Irrit. 2 :Causes skin irritation. Eye Irrit. 2 :Causes serious eye irritation. STOT SE 3 :May cause drowsiness or dizziness. Carc. 2 :Suspected of causing cancer.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name: NEOPAINT NPT16 - BULK

Hazard Pictogram(s)

GHS08

GHS07

Signal Word(s)	Warning
Hazard Statement(s)	H315: Causes skin irritation. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H351: Suspected of causing cancer.
Precautionary Statement(s)	P201: Obtain special instructions before use. P261: Avoid breathing vapours. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention. P501: Disposal should be in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Dichloromethane	75-09-2	200-838-9	70-90	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Carc. 2 H351	GHS08 GHS07

JOHNSON & ALLEN
NDT EXPERTS SINCE 1938

NEOPAINT NPT16 - BULK

Xylene	1330-20-7	215-535-7	1-10	Flam. Liq. 3 H226 Acute Tox. 4 H312 Skin Irrit. 2 H315 Acute Tox. 4 H332	GHS02 GHS07
Ethylbenzene	100-41-4	202-849-4	<2	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Acute Tox. 4 H332 STOT RE 2 H373	GHS02 GHS08 GHS07

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.

Skin Contact: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Wash out mouth with water. If symptoms persist, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer.

4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice/attention.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media: As appropriate for surrounding fire.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Phosgene, Hydrogen chloride, Carbon monoxide, Carbon dioxide.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid breathing vapours. Avoid contact with skin and eyes. Wear protective gloves/protective clothing/eye protection/face protection.

6.2 Environmental precautions

Prevent liquid entering sewers, basements and any watercourses.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Use only outdoors or in a well-ventilated area. Avoid breathing vapours. Avoid contact with skin and eyes. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke during work.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Storage temperature: Ambient.

Storage life: Stable under normal conditions.

Incompatible materials: Strong oxidising agents, Alkalis, Zinc, Aluminium.

7.3 Specific end use(s)

White Background Paint for use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002).

NEOPAINT NPT16 - BULK

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Dichloromethane	75-09-2	100	353	200	706	BMGV, Sk
Xylene, o-,m-,p- or mixed isomers	1330-20-7	50	220	100	441	Sk, BMGV
Ethylbenzene	100-41-4	100	441	125	552	Sk

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark	Notes
BMGV	Biological monitoring guidance values are listed in Table 2.
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
Dichloromethane	75-09-2	Post shift	end-tidal breath	carbon monoxide	30 ppm	
Xylene, o-, m-, p- or mixed isomers	1330-20-7	Post shift	urine	methyl hippuric acid	650 mmol methyl hippuric acid/mol creatinine	

8.2 Exposure controls

8.2.1. Appropriate engineering controls: Provide adequate ventilation.

8.2.2. Personal protection equipment

Eye Protection: Wear protective eye glasses for protection against liquid splashes.

Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Manufactured/tested in accordance with EN 374.
Wear protective gloves made of the following material: Viton rubber (fluoro rubber), Polyvinyl alcohol (PVA), Butyl rubber.
It should be noted that liquid may penetrate the gloves.
Frequent changes are recommended.

Respiratory protection: A suitable mask with filter type AX may be appropriate.

Thermal hazards: Not applicable.

8.2.3. Environmental Exposure Controls: Prevent liquid entering sewers, basements and any watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid. Colour: White.
Odour	Characteristic.
Odour threshold	Not established.
pH	Not known.
Melting point/freezing point	-94.9°C (Dichloromethane)
Initial boiling point and boiling range	39.8°C (Dichloromethane)
Flash Point	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	285.1 mm Hg @ 20°C (Dichloromethane)

NEOPAINT NPT16 - BULK

Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	1.33 g/l @ 20°C (Dichloromethane)
Solubility(ies)	Solubility (Water): Insoluble in water. Solubility (Other): Not known.
Partition coefficient: n-octanol/water	1.25 (Dichloromethane)
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

Strong oxidising agents, Alkalis, Zinc, Aluminium.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Calculation method : Not classified. Low oral toxicity. Dichloromethane: LD50 (rat) > 2000 mg/kg
Acute toxicity - Skin Contact	Calculation method : Not classified. Low acute toxicity. Dichloromethane: LD50 (rat) > 2000 mg/kg
Acute toxicity - Inhalation	Calculation method : Not classified. Low acute toxicity. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 92.44
Skin corrosion/irritation	Calculation method : Causes skin irritation. No data.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation. No data.
Skin sensitization data	Calculation method : Not classified. It is not a skin sensitiser.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified. There is no evidence of mutagenic potential.
Carcinogenicity	Calculation method : Suspected of causing cancer. No data. Dichloromethane: A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histological type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiological studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.
Reproductive toxicity	Calculation method : Not classified. No evidence of reproductive effects.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : May cause drowsiness or dizziness. No data.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

11.2 Other information

Not known.

NEOPAINT NPT16 - BULK

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish. Dichloromethane: LC50 (96 hour) = 193 mg/l
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

The product is biodegradable. The product is unlikely to persist in the environment.

12.3 Bioaccumulative potential

The product has no potential for bioaccumulation.
Dichloromethane: Bioconcentration factor (BCF): 2.0-5.4

12.4 Mobility in soil

The product is predicted to have high mobility in soil. The product is volatile and will partition into the atmosphere.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents/container to: Waste disposal facility. Recover or recycle if possible. Refer to manufacturer or supplier for information on recovery or recycling. Do NOT landfill.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No.	1593

14.2 UN proper shipping name

UN proper shipping name	DICHLOROMETHANE

14.3 Transport hazard class(es)

ADR/RID	
ADR/RID Class	6.1
ADR Classification Code	T1
Special Provisions	516
Limited Quantities	5 L
Excepted Quantities	E1
Emergency Action Code	2Z
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	B8
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP2
Tank Code for Tanks	L4BH
Special Provisions for Tanks	TU15 TE19
Vehicle for Tank Carriage	AT
ADR Transport Category	2
Tunnel Restriction Code	E
Special Provisions for Carriage - Packages	V12
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	CV13 CV28
Special Provisions for Carriage - Operation	S9
ADR HIN	60
IMDG	
IMDG Class	6.1
Special Provisions	516
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	B8
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP2

NEOPAINT NPT16 - BULK

IMDG EMS	F-A, S-A
Stowage and Handling	Category A
Segregation	SGG10
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	DICHLOROMETHANE
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y642
Passenger and Cargo Aircraft Limited Quantities Max net Qty	2L
Passenger and Cargo Aircraft Packing Instructions	655
Passenger and Cargo Aircraft Max net Qty	60L
Cargo Aircraft Packing Instructions	663
Cargo Aircraft Max net Qty	220L
Special Provisions	
Emergency Response Guidebook (ERG) Code	6L
Labels	
Labels	6.1

14.4 Packing group

Packing group: III

14.5 Environmental hazards

Environmental hazards: Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user: Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances of Very High Concern for Authorisation	Not listed
UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation	Not listed
UK REACH Restrictions List (Annex XVII) Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Dichloromethane (75-09-2), xylene (1330-20-7), ethylbenzene (100-41-4)
UK REACH Rolling Action Plan (RAP)	Not listed
The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended	Not listed
The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583)	Not listed
The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended	Not listed

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP)	Dichloromethane (75-09-2), xylene (1330-20-7)

15.2 Chemical Safety Assessment

United Kingdom: Not applicable.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

NEOPAINT NPT16 - BULK

LEGEND

Hazard Pictogram(s)	 GHS08  GHS07
	GHS02: GHS: Flame
Hazard classification	Flam. Liq. 2 : Flammable liquid, Category 2 Flam. Liq. 3 : Flammable liquid, Category 3 Asp. Tox. 1 : Aspiration hazard, Category 1 Acute Tox. 4 : Acute toxicity, Category 4 Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 Acute Tox. 4 : Acute toxicity, Category 4 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 Carc. 2 : Carcinogenicity, Category 2 STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H312: Harmful in contact with skin. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H336: May cause drowsiness or dizziness. H351: Suspected of causing cancer. H373: May cause damage to organs through prolonged or repeated exposure.
Precautionary Statement(s)	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P261: Avoid breathing vapours. P264: Wash hands and exposed skin thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention. P312: Call a POISON CENTRE/doctor if you feel unwell. P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up. P501: Dispose of contents/container to: Waste disposal facility.
Acronyms	ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances IATA : International Air Transport Association IBC : Intermediate Bulk Container ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit

NEOPAINT NPT16 - BULK

PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS	GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.