

JAP W/W PENETRANT - BULK

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name JAP W/W PENETRANT - BULK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) A Water Washable or Solvent Removable Visible Red Dye Penetrant for use in the Dye Penetrant Inspection Process BS EN ISO 571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity Level 2).

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Company Identification Johnson and Allen Ltd
Address of Supplier Neocol Works
Smithfield
Sheffield
S3 7AR
Postal code 0114 2738066
Telephone 0114 2729842
Fax info@johnsonandallen.co.uk
E-mail 08:30 - 17:00
Office hours

1.4 Emergency telephone number

Company 0114 2738066 (UK office hours 08.30-17.00)
NHS Direct +44 111

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567
Asp. Tox. 1 :May be fatal if swallowed and enters airways.
Repr. 2 :Suspected of damaging fertility or the unborn child.
Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567
Product Name JAP W/W PENETRANT - BULK
Hazard Pictogram(s)



Signal Word(s) Danger
Hazard Statement(s) H304: May be fatal if swallowed and enters airways.
H361: Suspected of damaging fertility or the unborn child.
H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s) EUH066: Repeated exposure may cause skin dryness or cracking.
P201: Obtain special instructions before use.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
P308+P313: IF exposed or concerned: Get medical advice/attention.
P331: Do NOT induce vomiting.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	None assigned	920-107-4	70-80	Asp. Tox. 1 H304 EUH066	GHS08
Distillates, petroleum, hydrotreated middle	64742-46-7	265-148-2	5-10	Asp. Tox. 1 H304 Skin Irrit. 2 H315 Acute Tox. 4 H332 Aquatic Chronic 2 H411	GHS08 GHS07 GHS09

JAP W/W PENETRANT - BULK

2-Naphthalenol,1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar,ar-methyl derivatives	92257-31-3	296-120-8	3-5	Repr. 2 H361 STOT RE 2 H373 Aquatic Chronic 4 H413	GHS08
Tetrahydrofurfuryl salicylate	2217-35-8	218-711-1	1-5	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	GHS07

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Contact	Wash skin with soap and water. Remove contaminated clothing and wash clothing before reuse. If symptoms persist, obtain medical attention.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.
Ingestion	Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Suspected of damaging fertility or the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice/attention.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.
Unsuitable extinguishing media	Water jet spray

5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Oxides of carbon.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Ensure full personal protection (including respiratory protection) during removal of spillages.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	Strong oxidising agents.

7.3 Specific end use(s)

A Water Washable or Solvent Removable Visible Red Dye Penetrant for use in the Dye Penetrant Inspection Process BS EN ISO 571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity Level 2).

JAP W/W PENETRANT - BULK**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
						Not established

Region: United Kingdom
 Source: UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection

Not normally required. Wear protective eye glasses for protection against liquid splashes.



Skin protection

Not normally required. Wear suitable gloves if prolonged skin contact is likely. Recommended: Neoprene. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection

No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

Not applicable.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance	Liquid.
	Colour: Red.
Odour	Perceptible odour.
Odour threshold	Not established.
pH	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	> 100°C
Evaporation rate	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	2 Pa
Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	0.84
Solubility(ies)	Solubility (Water): Insoluble in water. Solubility (Other): Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	3.9 cSt @ 40°C
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None.

JAP W/W PENETRANT - BULK

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Heat and direct sunlight.
10.5 Incompatible materials	Strong oxidising agents.
10.6 Hazardous decomposition products	No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity - Ingestion	Calculation method : Not classified. Low oral toxicity. Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rat) > 5000 mg/kg (OECD 401)
Acute toxicity - Skin Contact	Calculation method : Not classified. Low acute toxicity. Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rabbit) > 5000 mg/kg (OECD 402)
Acute toxicity - Inhalation	Calculation method : Not classified. Low acute toxicity. Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LC50 (rat) (4 hours) > 4951 mg/m ³ (OECD 403)
Skin corrosion/irritation	Calculation method : Not classified. Non-irritant. Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	Calculation method : Not classified. Non-irritant.
Skin sensitization data	Calculation method : Not classified. It is not a skin sensitiser.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified. There is no evidence of mutagenic potential.
Carcinogenicity	Calculation method : Not classified. No evidence of carcinogenicity.
Reproductive toxicity	Calculation method : Suspected of damaging fertility or the unborn child. No data.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : May be fatal if swallowed and enters airways. No data. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal.
11.2 Other information	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Harmful to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	No data.
Toxicity - Fish	No data.
Toxicity - Algae	No data.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	Part of the components are biodegradable.
12.3 Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4 Mobility in soil	Insoluble in water. The product is predicted to have low mobility in soil.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	Not known.

JAP W/W PENETRANT - BULK

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents/container to: Licensed recycler. Refer to manufacturer or supplier for information on recovery or recycling. Do NOT landfill.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex

Not listed

XIV) list of substances subject to authorisation

UK REACH Restrictions List (Annex XVII) Distillates (petroleum), hydrotreated middle (64742-46-7), Hydrocarbons, C12-C15,

Restrictions on the manufacture, placing n-alkanes, isoalkanes, cyclics, < 2% aromatics (EC No.: 920-107-4),

on the market and use of certain Tetrahydrofurfuryl salicylate (2217-35-8)

dangerous substances, mixtures and articles

UK REACH Rolling Action Plan (RAP) Not listed

The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as amended

The Ozone-Depleting Substances and Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Not listed

15.2 Chemical Safety Assessment

United Kingdom Not applicable.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1-16

LEGEND

Hazard Pictogram(s)



GHS08

JAP W/W PENETRANT - BULK

Hazard classification	GHS07: GHS: Exclamation mark GHS09: GHS: Environment Acute Tox. 4 : Acute toxicity, Category 4 Asp. Tox. 1 : Aspiration hazard, Category 1 Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 Acute Tox. 4 : Acute toxicity, Category 4 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 Repr. 2 : Reproductive toxicity, Category 2 STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3 Aquatic Chronic 4 : Hazardous to the aquatic environment, Chronic, Category 4
Hazard Statement(s)	H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. H361: Suspected of damaging fertility or the unborn child. H373: May cause damage to organs through prolonged or repeated exposure. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. H413: May cause long lasting harmful effects to aquatic life. EUH066: Repeated exposure may cause skin dryness or cracking.
Precautionary Statement(s)	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor. P308+P313: IF exposed or concerned: Get medical advice/attention. P331: Do NOT induce vomiting. P405: Store locked up. P501: Dispose of contents/container to: Licensed recycler.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for data used to compile the SDS	GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.