

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name NEOAQUA BCW - BLACK MAGNETIC INK CONCENTRATE - WATER BASED

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) For use in the Magnetic Particle Inspection process BS EN ISO 9934-2:2002.

Dilution rate 50:1 with water.

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Company Identification Johnson and Allen Ltd

Address of Supplier Neocol Works

Smithfield Sheffield

Postal code S3 7AR

Telephone 0114 2738066 Fax 0114 2729842

E-mail info@johnsonandallen.co.uk

Office hours 08:30 - 17:00

1.4 Emergency telephone number

Company 0114 2738066 (UK office hours 08.30-17.00)

NHS Direct +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Skin Irrit. 2: Causes skin irritation.

UK SI 2020/1567 Eye Irrit. 2 :Causes serious eye irritation.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name NEOAQUA BCW - BLACK MAGNETIC INK CONCENTRATE - WATER BASED

Hazard Pictogram(s)

 $\langle \underline{!} \rangle$

GHS07

Signal Word(s) Warning

Hazard Statement(s) H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary Statement(s) P280: Wear protective gloves/protective clothing/eye protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

2.3 Other hazards

None known.

Page: 1 - 9 Revision: 1



2.4 Additional Information

Dilution rates for use - 50:1 (demineralised water: BCW).

It is not classified as hazardous after dilution.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration	%W/W	Hazard Statement(s)	Hazard
	07.10.110.	number(s)	,,,,,,,		Pictogram(s)
Amine neutralized carboxylic acid		1 (1)	1-10	Skin Irrit. 2 H315	GHS07
				Eye Irrit. 2 H319	
Alcohols, C11-14-iso-, C13-rich,	78330-21-9	616-609-5	1-<3	Acute Tox. 4 H302	GHS05
ethoxylated				Eye Dam. 1 H318	GHS07
Amine neutralized carboxylic acid			1-3	Acute Tox. 4 H302	GHS07
2-aminoethanol	141-43-5	205-483-3	<1	Acute Tox. 4 H302	GHS05
				Acute Tox. 4 H312	GHS07
				Skin Corr. 1B H314	
				Eye Dam. 1 H318	
				Acute Tox. 4 H332	
				STOT SE 3 H335	
				Aquatic Chronic 3 H412	
Amine neutralized substituted			<0.3	Skin Irrit. 2 H315	GHS08
triazole				Eye Irrit. 2 H319	GHS07
				Repr. 2 H361d	
				Aquatic Chronic 3 H412	
(2-methoxymethylethoxy)propanol	34590-94-8	252-104-2	<0.1	Not classified	None

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1	Description	of	first	aid	measures
-----	-------------	----	-------	-----	----------

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. If symptoms persist, obtain medical attention.

Skin Contact Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Wash out mouth with water. If symptoms persist, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Skin Contact: Irritation.

Eye Contact: Redness, Irritation, Pain.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

Page: 2 - 9 Revision: 1



SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

Toxic fumes may be produced in a fire.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Wear protective gloves/eye protection.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a

container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed

skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, well ventilated place.

Storage temperature Ambient. Keep at temperature not exceeding (°C): 50°C.

Storage life Stable under normal conditions.

Incompatible materials Strong oxidising agents, Acids.

7.3 Specific end use(s)

For use in the Magnetic Particle Inspection process BS EN ISO 9934-2:2002.

Dilution rate 50:1 with water.

Page: 3 - 9 Revision: 1



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
2-Aminoethanol	141-43-5	1	2.5	3	7.6	Sk
(2-methoxymethylethoxy)	34590-94-8	50	308			Sk
propanol						

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

toxicity.

8.2 Exposure controls

purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).

Breakthrough time of the glove material: refer to the information provided by the

gloves' producer.



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards Not applicable.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour : Black (Shaken).

Odour Barely perceptible odour.

Odour threshold Not known.

pH Not known.

Melting point/freezing point Not known.

Initial boiling point and boiling range Not known.

Flash Point Not known.

Evaporation rate Not known.

Page: 4 - 9 Revision: 1



Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive Not known.

limits

Vapour pressure Not known.
Vapour density Not known.
Density (g/ml) Not known.
Relative density Not known.

Solubility(ies) Solubile.

Solubility (Other): Not known.

Partition coefficient: n-octanol/water Not known.

Auto-ignition temperature Not known.

Decomposition Temperature (°C) Not known.

Viscosity Not known.

Explosive properties Not explosive.

Oxidising properties Not oxidising.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

Strong oxidising agents, Acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method : Not classified.

Low oral toxicity.

 $Calculation\ method: Calculated\ acute\ toxicity\ estimate\ (ATE)\ -\ 12311.94$

Acute toxicity - Skin Contact Calculation method : Not classified.

Low acute toxicity.

Calculation method: Calculated acute toxicity estimate (ATE) - 135886.34

Acute toxicity - Inhalation Calculation method : Not classified.

Low acute toxicity.

Calculation method: Calculated acute toxicity estimate (ATE) - 1358.86

Skin corrosion/irritation Calculation method : Causes skin irritation. No data.

Serious eye damage/irritation Calculation method : Causes serious eye irritation. No data.



Skin sensitization data Calculation method : Not classified.

It is not a skin sensitiser.

Respiratory sensitization data Calculation method : Not classified.

Germ cell mutagenicity Calculation method : Not classified.

There is no evidence of mutagenic potential.

Carcinogenicity Calculation method : Not classified.

No evidence of carcinogenicity.

Reproductive toxicity Calculation method : Not classified.

No evidence of reproductive effects.

Lactation Calculation method : Not classified.

STOT - single exposure Calculation method : Not classified.

STOT - repeated exposure Calculation method : Not classified.

Aspiration hazard Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Low toxicity to aquatic organisms.

12.2 Persistence and degradability

The product is biodegradable. Unlikely to persist.

12.3 Bioaccumulative potential

The product has no potential for bioaccumulation.

12.4 Mobility in soil

Soluble in water. The product is predicted to have high mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

None known.

13.1 Waste treatment methods

Dispose of contents/container to: Licensed recycler. Refer to manufacturer for

information on recovery/recycling. Do NOT landfill.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable



14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex

Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Alcohols, C11-14-iso-, C13-rich, ethoxylated (78330-21-9), 2-aminoethanol (141-43-

Restrictions on the manufacture, placing 5), Amine neutralized carboxylic acid, Amine neutralized substituted triazole

on the market and use of certain

dangerous substances, mixtures and

articles

Not listed UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and

Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) 2-aminoethanol (141-43-5)

15.2 Chemical Safety Assessment

United Kingdom Not applicable.

> Page: 7 - 9 Revision: 1



SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

LEGEND

Hazard Pictogram(s)



GHS07

GHS05: GHS: Corrosion GHS08: GHS: Health hazard

Hazard classification Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Repr. 2 : Reproductive toxicity, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s) H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H361d: Suspected of damaging the unborn child. H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Page: 8 - 9 Revision: 1



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 9 - 9 Revision: 1