

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Product Name	NEOINDUS 2EB - BULK	
1.2 Relevant identified uses of the subst	tance or mixture and uses advised against	
Identified Use(s)	A high performance solvent cleaner and de-greaser with low toxicity and little	
	environmental impact.	
Uses Advised Against	Not known.	
1.3 Details of the supplier of the safety data sheet		
Company Identification	Johnson and Allen Ltd	
Address of Supplier	Neocol Works	
	Smithfield	
	Sheffield	
Postal code	S3 7AR	
Telephone	0114 2738066	
Fax	0114 2729842	
E-mail	info@johnsonandallen.co.uk	
Office hours	08:30 - 17:00	
1.4 Emergency telephone number		
Company	0114 2738066 (UK office hours 08.30-17.00)	
NHS Direct	+44 111	

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Asp. Tox. 1 :May be fatal if swallowed and enters airways.

IIK	CI	2020/1567	
	J.	2020/1307	

Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1 :May cause an allergic skin reaction.

Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.

2.2 Label elements

Product Name Hazard Pictogram(s)

Signal Word(s) Hazard Statement(s) According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 NEOINDUS 2EB - BULK







GHS08 Danger

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.



Precautionary Statement(s)	P261: Avoid breathing vapours.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
	P302+P352: IF ON SKIN: Wash with plenty of soap and water.
	P331: Do NOT induce vomiting.
2.3 Other hazards	
	Combustible liquid.
2.4 Additional Information	
	For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration	%W/W	Hazard Statement(s)	Hazard
		number(s)			Pictogram(s)
Distillates (petroleum),	64742-47-8	265-149-8	60-100	Asp. Tox. 1 H304	GHS08
hydrotreated light					
Orange, sweet, ext.	8028-48-6	232-433-8	10-30	Flam. Liq. 3 H226	GHS02
				Asp. Tox. 1 H304	GHS08
				Skin Irrit. 2 H315	GHS07
				Skin Sens. 1 H317	GHS09
				Aquatic Chronic 2 H411	

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position	
	comfortable for breathing. If symptoms persist, obtain medical attention.	
Skin Contact	Wash with plenty of soap and water. Take off immediately all contaminated clothing	
	and wash it before reuse. If skin irritation occurs: Get medical advice/attention.	
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If	
	symptoms persist, obtain medical attention.	
Ingestion	Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.	
4.2 Most important symptoms and effects, both acute and delayed		
	Skin Contact: Irritation, Eczema.	
	Aspiration into the lungs may cause chemical pneumonitis, which can be fatal.	
4.3 Indication of any immediate medical attention and special treatment needed		

Unlikely to be required but if necessary treat symptomatically.



SECTION 5: FIREFIGHTING MEASURES		
5.1 Extinguishing media		
Suitable Extinguishing media	Extinguish preferably with foam, carbon dioxide or dry chemical.	
Unsuitable extinguishing media	Water jet spray.	
5.2 Special hazards arising from the s	ubstance or mixture	
	Combustible liquid. May give off toxic fumes in a fire. Hazardous decomposition	
	product(s): Carbon monoxide, Carbon dioxide.	
5.3 Advice for firefighters		
	Fire fighters should wear complete protective clothing including self-contained	
	breathing apparatus. Keep containers cool by spraying with water if exposed to fire.	
SECTION 6: ACCIDENTAL RELEASE	MEASURES	
6.1 Personal precautions, protective e	quipment and emergency procedures	
	Ensure adequate ventilation. Remove or make safe all sources of ignition. Avoid	
	inhalation of high concentrations of vapours. Avoid skin contact. Wear protective	
	gloves/eye protection.	
6.2 Environmental precautions		
	Avoid release to the environment.	
6.3 Methods and material for containment and cleaning up		
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Collect	
	spillage. Transfer to a container for disposal.	
6.4 Reference to other sections		
	See Also Section 8, 13.	
SECTION 7: HANDLING AND STORA	GE	
7.1 Precautions for safe handling		
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.	
	No smoking. Provide adequate ventilation. Avoid breathing vapours. Avoid contact	
	with skin. Wear protective gloves/protective clothing/eye protection/face protection.	
	Wash hands and exposed skin thoroughly after handling.	
7.2 Conditions for safe storage, includ	ing any incompatibilities	
	Store locked up. Store in a well-ventilated place.	
Storage temperature	Ambient.	
Storage life	Stable under normal conditions.	
Incompatible materials	Strong oxidising agents, Acids, Peroxides.	
7.3 Specific end use(s)		
	A high performance solvent cleaner and de-greaser with low toxicity and little	
	environmental impact.	



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Source

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
						None assigned

Region
United Kingdom

m UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

8.2.1. Appropriate enginee	ering controls Provide adequate purposes should b	ventilation. A washing facility/water for eye and skin cleaning e present.
8.2.2. Personal protection	equipment	
Eye Protec	ction Not normally requi	red.
	Wear protective ey	e glasses for protection against liquid splashes.
Skin protec	ction Wear protective cl	othing and gloves: Impervious gloves (EN 374).
	Wear: Nitrile rubbe	r.
	Breakthrough time	of the glove material: refer to the information provided by the
	gloves' producer.	
Respirator	ry protection Normally no perso	nal respiratory protection is necessary.
	Wear suitable resp	iratory protective equipment if exposure to high levels of material
	are likely. A suitab	le mask with filter type A (EN14387 or EN405) may be
	appropriate.	
Thermal ha	azards Not applicable.	

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
	Colour : Colourless.
Odour	Citrus.
Odour threshold	Not known.
рН	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	180 - 239°C @ 760mm Hg
Flash Point	67°C
Evaporation rate	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive	0.6 - 6.5 Vol-%
limits	



Vapour pressure	Not known.
Vapour density	4.5 @ 80°C
Density (g/ml)	Not known.
Relative density	0.8 g/cm ³
Solubility(ies)	Solubility (Water) : Insoluble.
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	180°C
Decomposition Temperature (°C)	Not known.
Viscosity	1.97 mPa•s.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	Stable under normal conditions.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactions	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	Keep away from heat, sources of ignition and direct sunlight.
10.5 Incompatible materials	
	Strong oxidising agents, Acids, Peroxides.
10.6 Hazardous decomposition products	
	No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information	on	toxicological effects	
------	-------------	----	-----------------------	--

Acute toxicity - Ingestion	Calculation method : Not classified.
	Low oral toxicity.
	Distillates (petroleum), hydrotreated light: LD50 (rat) >15000mg/kg
Acute toxicity - Skin Contact	Calculation method : Not classified.
	Low acute toxicity.
	Distillates (petroleum), hydrotreated light: LD50 (rabbit) >2000mg/kg
Acute toxicity - Inhalation	Calculation method : Not classified.
	Low acute toxicity.
	Distillates (petroleum), hydrotreated light: LC50 (rat) 4hour(s) >4951mg/m ³
Skin corrosion/irritation	Calculation method : Causes skin irritation. No data.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : May cause an allergic skin reaction. No data.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
	There is no evidence of mutagenic potential.

Carcinogenicity	Calculation method : Not classified.
	No evidence of carcinogenicity.
Reproductive toxicity	Calculation method : Not classified.
	No evidence of reproductive effects.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : May be fatal if swallowed and enters airways. No data.
11.2 Other information	

Not known.

SECTION 12: ECOLOGICAL INFORMATION		
12.1 Toxicity		
	Toxic to aquatic life with long lasting effects. No data.	
12.2 Persistence and degradability		
	The product is not biodegradable. There is evidence of photodegradation in air. The	
	product is unlikely to persist in the environment.	
12.3 Bioaccumulative potential		
	The product has no potential for bioaccumulation.	
	IUCLID: BCF <1000	
12.4 Mobility in soil		
	Insoluble in water. The product is predicted to have low mobility in soil.	
	The product is volatile and will partition into the atmosphere.	
	Higher molecular weight hydrocarbons: The substance may adsorb onto soils and	
	sediments.	
12.5 Results of PBT and vPvB assess	ment	
	Not classified as PBT or vPvB.	
12.6 Other adverse effects		
	None known.	
SECTION 13: DISPOSAL CONSIDER	ATIONS	
13.1 Waste treatment methods		
	Dispose of contents/container to: Suitable incineration plant.	
	Dispose of contents/container to. Outable incineration plant.	
	Consult an accredited waste disposal contractor or the local authority for advice.	
13.2 Additional Information	Consult an accredited waste disposal contractor or the local authority for advice.	



SECTION 14: TRANSPORT INFORMATI	ION
4.1 UN number	
JN No.	3082
4.2 UN proper shipping name	
JN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains:
	Orange, sweet, ext.)
4.3 Transport hazard class(es)	
ADR/RID	
ADR/RID Class	9
ADR Classification Code	M6
Special Provisions	274, 335, 375, 601
imited Quantities	5 L
Excepted Quantities	E1
Emergency Action Code	•3Z
Aixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Aixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	Τ4
Special Provisions for Portable Tanks	TP1 TP29
ank Code for Tanks	LGBV
Special Provisions for Tanks	
· /ehicle for Tank Carriage	AT
ADR Transport Category	3
unnel Restriction Code	-
Special Provisions for Carriage -	V12
Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading	. CV13
Jnloading and Handling	
Special Provisions for Carriage -	
Dperation	
ADR HIN	90
MDG	
MDG Class	9
Special Provisions	274, 335, 375, 601
imited Quantities	5 L
Excepted Quantities	E1
Aixed Packing Instructions for Packages	
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	IF1 IF29
Special Provisions for Portable Tanks MDG EMS	TP1 TP29 F-A S-F
MDG EMS	F-A S-F



ICAO/IATA

ICAO/IATA	
IATA Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains:
	Orange, sweet, ext.)
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited	Y964
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	30Kg G
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	964
Instructions	
Passenger and Cargo Aircraft Max net	450L
Qty	
Cargo Aircraft Packing Instructions	964
Cargo Aircraft Max net Qty	450L
Special Provisions	A97, A158, A197, A215
Emergency Response Guidebook (ERG)	9L
Code	
Labels	
Labels	9
	9
14.4 Packing group	
Packing group	III
14.5 Environmental hazards	
Environmental hazards	Classified as a Marine Pollutant.
14.6 Special precautions for user	
Special precautions for user	Not known.
14.7 Transport in bulk according to Anne	ex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION

United Kingdom Regulations - Authorisations and/or Restrictions On Use UK REACH Candidate List of Substances Not listed of Very High Concern for Authorisation UK REACH Authorisation List (Annex Not listed XIV) list of substances subject to authorisation UK REACH Restrictions List (Annex XVII) Distillates (petroleum), hydrotreated light (64742-47-8), Orange, sweet, ext. (8028-Restrictions on the manufacture, placing 48-6) on the market and use of certain dangerous substances, mixtures and articles UK REACH Rolling Action Plan (RAP) Not listed

GHS09



NEOINDUS 2EB - BULK

The Persistent Organic Pollutants	Not listed		
Regulations 2007 (SI 2007/3106) as			
amended			
The Ozone-Depleting Substances and	Not listed		
Fluorinated Greenhouse Gases			
(Amendment etc.) (EU Exit) Regulations			
2019 (SI 2019/583)			
The Prior Informed Consent (PIC)	Not listed		
Regulations concerning the export and			
import of hazardous chemicals			
SI2008/2108 as amended			
European Regulations - Authorisations	and/or Restrictions On Use		
Community Rolling Action Plan (CoRAP) Not listed		
15.2 Chemical Safety Assessment			
United Kingdom	Not applicable.		
SECTION 16: OTHER INFORMATION			
The following sections contain revisions	or new statements:	1-16	
LEGEND			
Hazard Pictogram(s)			¥

	GHS02: GHS: Flame
Hazard classification	Flam. Liq. 3 : Flammable liquid, Category 3
	Asp. Tox. 1 : Aspiration hazard, Category 1
	Skin Irrit. 2 : Skin corrosion/irritation, Category 2
	Skin Sens. 1 : Skin sensitization, Category 1
	Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Hazard Statement(s)	H226: Flammable liquid and vapour.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	P261: Avoid breathing vapours.
	P264: Wash hands and exposed skin thoroughly after handling.
	P272: Contaminated work clothing should not be allowed out of the workplace.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

GHS08

GHS07



	P302+P352: IF ON SKIN: Wash with plenty of soap and water.
	P331: Do NOT induce vomiting.
	P332+P313: If skin irritation occurs: Get medical advice/attention.
	P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.
	P391: Collect spillage.
	P405: Store locked up.
	P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ADN : European Agreement concerning the International Carriage of Dangerous
	Goods by Inland Waterways
	ADR : European Agreement concerning the International Carriage of Dangerous
	Goods by Road
	ATE : Acute Toxicity Estimate
	CAS : Chemical Abstracts Service
	DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances
	IATA : International Air Transport Association
	IBC : Intermediate Bulk Container
	ICAO : International Civil Aviation Organization
	IMDG : International Maritime Dangerous Goods
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	UN : United Nations
	vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.