

# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product Name	NEOASTRA FC - HYDROCARBON BASED FLUORESCENT
	CAS No.	INK CONCENTRATE. Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or	None assigned.
	mixture and uses advised against	
	Identified use(s)	For use in the Magnetic Particle Inspection Process (BS EN
		ISO 9934-2). Dilution rate 50:1 with a suitable
		hydrocarbon carrier.
	Uses advised against	None known.
1.3	Details of the supplier of the Safety Data Sheet	
	Company Identification	Johnson and Allen Ltd.
		Neocol Works
		Smithfield
		Sheffield
		S3 7AR.
	Telephone	0114 2738066
	Fax	0114 2729842
	E-mail	info@johnsonandallen.co.uk
1.4	Emergency telephone number	0111 0728066 (I IV office hours 08 20 17 00)
	Emergency Phone No.	0114 2738066 (UK office hours 08.30-17.00)
2. S	ECTION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture	
2.1.1	Regulation (EC) No. 1272/2008 (CLP)	Asp. Tox. 1; May be fatal if swallowed and enters airways.
		Repeated exposure may cause skin dryness or cracking.
2.1.2	Directive 67/548/EEC & Directive 1999/45/EC	Xn; Harmful: may cause lung damage if swallowed.
		Repeated exposure may cause skin dryness or cracking.
2.2	Label elements	
2.2.1	Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
	Product Name	NEOASTRA FC - HYDROCARBON BASED FLUORESCENT
		INK CONCENTRATE.
	Hazard Pictogram	A
	5	



GHS08 Danger. H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking.

Signal word(s)

Hazard statement(s)



Precautionary statement(s)

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P331: Do NOT induce vomiting. P405: Store locked up. P501: Dispose of contents/container to: Licensed recycler.

According to Directive 67/548/EEC & Directive 1999/45/EC NEOASTRA FC - HYDROCARBON BASED FLUORESCENT INK CONCENTRATE.



R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. S2, S23, S24, S62

None.

Other hazards 2.4 Additional Information

**Risk Phrases** 

Safety Phrases

2.2.2 Label elements

Product Name

Hazard Symbol

For full text of H/P phrases see section 16.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

2.3

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Distillates (petroleum),	>90	64742-47-8	265-149-8	01-2119453414-	GHS08, Asp. Tox. 1;
hydrotreated light;				43-0001	H304, EUH066
Kerosine — unspecified					

#### EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH	EC Classification and
				Registration No.	Risk Phrases
Distillates (petroleum),	>90	64742-47-8	265-149-8	01-2119453414-	Xn; R65, R66
hydrotreated light;				43-0001	
Kerosine — unspecified					

#### 3.2 Additional Information

For full text of H/P phrases see section 16.



## 4. SECTION 4: FIRST AID MEASURES



4.2

4.1 Description of first aid measures Inhalation

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Contact	Wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse. If symptoms persist, obtain medical attention.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.
Ingestion	IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician.
Most important symptoms and effects, both	Aspiration into the lungs may cause chemical pneumonitis,
acute and delayed	which can be fatal. Repeated exposure may cause skin dryness or cracking.
Indication of any immediate medical attention	Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

### 5. SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Extinguishing Media

   Suitable Extinguishing Media
   Unsuitable Extinguishing Media
- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters

Extinguish preferably with dry chemical, foam or waterspray. None known. Decomposes in a fire giving off toxic fumes: Carbon

monoxide, Carbon dioxide. Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment Ensure adequate ventilation. Avoid inhalation of high and emergency procedures concentrations of vapours. Wear suitable protective clothing, gloves and eye/face protection. 6.2 **Environmental precautions** Do not allow to enter drains, sewers or watercourses. Methods and material for containment and 6.3 Adsorb spillages onto sand, earth or any suitable adsorbent cleaning up material. Transfer to a container for disposal. 6.4 Reference to other sections See Also Section 8, 13.



# 7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials

Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. Avoid prolonged skin contact. Wear suitable protective clothing, gloves and eye/face protection. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke during work. Store locked up.

Ambient. Keep at temperature not exceeding (°C): 50°C. Stable under normal conditions. Strong oxidising agents, Natural rubber, Polystyrene, Butyl rubber. For use in the Magnetic Particle Inspection Process (BS EN

7.3 Specific end use(s)

For use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2). Dilution rate 50:1 with a suitable hydrocarbon carrier.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Distillates (petroleum),	64742-47-8	150	1200	-	-	WEL (Reciprocal
hydrotreated light;						Calculation
Kerosine — unspecified						Method)

WEL: Workplace	Exposure Limit (	(UK HSE EH40)
	Exposure Enning	

8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2 8.2.1 8.2.2	Exposure controls Appropriate engineering controls Personal protection equipment Eye/face protection	Provide adequate ventilation. Wear protective eye glasses for protection against liquid splashes.
	Skin protection (Hand protection/ Other)	Wear suitable gloves if prolonged skin contact is likely. Impervious gloves (EN 374).
	Respiratory protection	Not normally required.
		Handling of larger amounts: A suitable mask with filter type A (EN14387 or EN405) may be appropriate. Use a respirator/filter with at least: PF10: 10 x Protection Factor.
	Thermal hazards	Not applicable.



8.2.3 Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical

properties	
Appearance	Liquid.
Colour	Brown (Shaken).
Odour	Paraffinic.
Odour Threshold (ppm)	Not available.
pH (Value)	Not available.
Melting Point (°C)	Not available.
Boiling Point (°C)	Not available.
Flash Point (°C)	>100°C
Evaporation rate	Not applicable.
Flammability	Non-flammable.
Explosive limit ranges	Not applicable.
Vapour Pressure (mm Hg)	Not available.
Vapour Density (Air=1)	Not available.
Bulk Density (g/ml)	Not applicable.
Solubility (Water)	<0.10 wt%.
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Temperature (°C)	>200°C
Decomposition Temperature (°C)	Not available.
Kinematic Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	No information available.
Other information	None.

## **10. SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

9.2

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

#### Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Heat and direct sunlight. Strong oxidising agents, Natural rubber, Butyl rubber, Polystyrene. Carbon monoxide, Carbon dioxide.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects
- 11.1.1 Mixtures

Acute toxicity Ingestion

Inhalation

Low oral toxicity. Distillates (petroleum), hydrotreated light; Kerosine unspecified: LD50 (rat) : >15000mg/kg Low acute toxicity. Distillates (petroleum), hydrotreated light; Kerosine unspecified: LC50 (rat) 4hour(s) : >4951mg/m<sup>3</sup>



11.2

Skin Contact	Low acute toxicity. Distillates (petroleum), hydrotreated light; Kerosine — unspecified: LD50 (rabbit) : >2000mg/kg
Eye Contact	Low acute toxicity.
Irritation	Repeated exposure may cause skin dryness or cracking.
Corrosivity	Not classified.
Sensitisation	Not expected to be a skin or respiratory sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
Aspiration hazard	Asp. Tox. 1: May be fatal if swallowed and enters airways.
	Aspiration into the lungs may cause chemical pneumonitis,
	which can be fatal.
Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 12.2	Toxicity Persistence and degradability	Low toxicity to aquatic organisms. The product is not biodegradable. There is evidence of
		photodegradation in air. The product is unlikely to persist in the environment.
12.3	Bioaccumulative potential	The product has potential for bioaccumulation.
		Distillates (petroleum), hydrotreated light; Kerosine — unspecified: BCF = 130-159
12.4	Mobility in soil	Immiscible with water. The product is predicted to have low mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons: The substance may adsorb onto soils and sediments.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None.

#### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose of contents/container to: Licensed recycler. Refer to manufacturer for information on recovery/recycling.
13.2	Additional Information	Do NOT landfill. Disposal should be in accordance with local, state or national legislation.

### 14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

- 14.1 UN number
- 14.2 UN Proper Shipping Name
- 14.3 Transport hazard class(es)
- 14.4 Packing Group
- 14.5 Environmental hazards
- 14.6 Special precautions for user
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.



### **15. SECTION 15: REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.1.1 EU regulations

   Authorisations and/or restrictions on use

   N

   15.1.2 National regulations
- 15.2 Chemical Safety Assessment

None known. None known. Not available.

### 16. SECTION 16: OTHER INFORMATION

#### The following sections contain revisions or new statements: 1-16.

#### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
Asp. Tox. 1	Aspiration hazard Category 1
Xn	Harmful

#### **Risk Phrases and Safety Phrases**

nmable.
ľ

- R66 Repeated exposure may cause skin dryness or cracking.
- S2 Keep out of the reach of children.
- S23 Do not breathe vapour.
- S24 Avoid contact with skin.
- S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### Hazard statement(s)

H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Hazard pictogram(s) and Hazard Symbol



Xn



#### Disclaimers

GHS08

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



#### Annex to the extended Safety Data Sheet (eSDS)

No information available.